GF | Software



NETWORK MODULE DOCUMENTATION

Grl Software"

The information and content in this document is provided for informational purposes only and is provided "as is" with no warranties of any kind, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose, and non-infringement. GFI Software disclaims and in no event shall be liable for any losses or damages of any kind, including any consequential or incidental damages in connection with the furnishing, performance or use of this document. The information is obtained from publicly available sources. Though reasonable effort has been made to ensure the accuracy of the data provided, GFI makes no warranty, promise or guarantee about the completeness, accuracy, recency or adequacy of information contained in this document and is not responsible for misprints, out-of-date information, or errors. GFI reserves the right to revise or update its products, software or documentation without notice. You must take full responsibility for your use and application of any GFI product or service. No part of this documentation may be reproduced in any form by any means without prior written authorization of GFI Software.

If you believe there are any factual errors in this document, please contact us and we will review your concerns as soon as practical.

GFI trademarks or registered trademarks of GFI Software or its affiliates in the US and other countries. Any other trademarks contained herein are the property of their respective owners.

is copyright of Exinda Inc.. - 1999-2021 Exinda Inc.. All rights reserved.

Document Version:

Last updated (month/day/year): 01/28/2021

Exinda Network Expansion Module Comparison

	EXN-RJ45-2P-FH 2-port 1 Gbps	EXN-RJ45-4P-HF 4-port 1 Gbps	EXN-RJ45-6P-F 6-port 1 Gbps	EXN-RJ45-2P-10G 2-port 10Gbps
Connector Type	RJ-45	RJ-45	RJ-45	RJ-45
		4062		
slot 1	Yes	Yes	N/A	N/A
		8064		
slot 1 (Half)	Yes*	Yes*	N/A	Yes*
slot 2	Yes	Yes	Yes	Yes
-l-+ 1		10064		
slot 1	Slot not usable			
slot 2	Yes	Yes	Yes	Yes
slot 3 (Half)	Yes*	Yes*	N/A	Yes*
slot 4 (Half)	Yes*	Yes*	N/A	Yes*
slot 5 (Half)	Yes*	Yes*	N/A	Yes*
slot 6 (Half)	Slot not usable			
		12064		
slot 1	Yes	Yes	Yes	Yes
slot 2	Yes	Yes	Yes	Yes
slot 3	Yes	Yes	Yes	Yes
slot 4	Yes	Yes	Yes	Yes
slot 5	Yes	Yes	Yes	Yes
slot 6 (Half)	Slot not usable			
slot 7	Yes	Yes	Yes	Yes
slot 8	Yes	Yes	Yes	Yes

	EXN-FIB- 2P-MS-FH 2-port 1 Gbps Short Range	EXN-FIB- 2P-SL-FH 2-port 1 Gbps Long Range	EXN-FIB- 4P-MS-F 4-port 1 Gbps Short Range	EXN-FIB- 4P-SL-FI 4-port 1 Gbps Long Range	EXN- FIB10-2P- MS 2-port 10Gbps Short Range	EXN- FIB10-2P- SL 2-port 10Gbps Long Range	EXN-FIB40- 2P-FH 2 port 40Gbps Short Range	EXN-FIB10-4P-MS- F 4 Port 10G Short Range
				1111 - 1111 2444 - 2444				
Connector Type	LC	LC	LC	LC	LC	LC	MTP	LC
			4062					
slot 1	Yes	Yes	Yes	Yes	N/A	N/A	N/A	N/A
			8064					
slot 1 (Half)	Yes*	Yes*	N/A	N/A	Yes*	Yes*	N/A	N/A
slot 2	Yes	Yes	Yes	Yes	Yes	Yes	N/A	N/A
			10064	Ļ				
slot 1	Slot not usable	2						
slot 2	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N/A
slot 3 (Half)	Yes*	Yes*	N/A	N/A	Yes*	Yes*	N/A	N/A
slot 4 (Half)	Yes*	Yes*	N/A	N/A	Yes*	Yes*	N/A	N/A
slot 5 (Half)	Yes*	Yes*	N/A	N/A	Yes*	Yes*	N/A	N/A
slot 6 (Half)	Slot not usable	!						
			12064	ļ.				
slot 1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
slot 2	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
slot 3	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
slot 4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

	EXN-FIB- 2P-MS-FH 2-port 1 Gbps Short Range	EXN-FIB- 2P-SL-FH 2-port 1 Gbps Long Range	EXN-FIB- 4P-MS-F 4-port 1 Gbps Short Range	EXN-FIB- 4P-SL-FI 4-port 1 Gbps Long Range	EXN- FIB10-2P- MS 2-port 10Gbps Short Range	EXN- FIB10-2P- SL 2-port 10Gbps Long Range	EXN-FIB40- 2P-FH 2 port 40Gbps Short Range	EXN-FIB10-4P-MS- F 4 Port 10G Short Range
slot 5	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
slot 6 (Half)	Slot not usabl	e						
slot 7	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
slot 8	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

* The card fits in the half height slot when using the included half height bracket.

N/A - Not available in this slot for this hardware.